



ATTENTION - PRICE DROP!!!

Prices are rising, ours are falling!!!

Our prices are reduced by 50% now,
due to warehouse restructuring!!!

Offer

Hydr. Cylindrical Grinding Machine WMW SU 240×800



manufacturer: WMW SU 240×800

build type: Reinecker

type: SU 240×800

mach.-nr.: 02910

year of construction: ???

comm.-nr.: 3990699/009

stock-nr.: 1865

Regular Price: 5.800,- € > **Reduced Price: 2.900,- € BN**

The machine can be used for:

- outer grinding
- surface grinding
- cone grinding
- edge grinding
- chamfering
- plunge grinding

Technical Data

(According to manufacturer)

height of tip: 120 mm

swing – Ø: 240 mm

width of tip: 800 mm

grinding wheel:

diameter: 300 mm

bore diameter: 76 mm

max. width of full grinding wheel during punch-grinding: 50 mm

greatest total width of grinding wheel set: 80 mm

greatest sum of single widths: 50 mm

grinding wheel speeds: 1.870 / 2.085 rpm

grinding head:

pivot of grinding head: 90° in two layers

max. grinding head hub: 295 mm

max hub using hand wheel: 200 mm

autom. interval feed, infinitely adjustable: 0,0025 – 0,04 mm

hand wheel feed: 0 – 0,8 mm

automatic feed: 0 – 0,8 mm

feed via one revolution of the hand wheel: 1,0 mm

feed via one hand wheel unit: 0,01 mm

rapid traverse of grinding head: 50 mm

max. diameter adjustment: 2,0 mm

diameter adjustment via tipping switch: 0,005 mm

diameter adjustment via micro-stop: 0,001 mm

headstock spindle:

4 workpiece speeds, adjustable: 50 – 400 rpm

rotatability of headstock spindle against the grinding wheel: 90°

spindle cone or inner cone of headstock spindle: MK 5

tailstock:

inner cone of quill: MK 3

quill way: 60 mm

table:

max. table tilt: 7° each

table speed, adjustable: 150 – 7.000 mm / min.

min. table travel using hydraulic movement approx.: 4 mm

table oscillation during plunge grinding: 3 – 5 mm

table adjustment via hand, fine: hand wheel unit = 0,03 / 1 hand wheel revolution 7,5 mm

table adjustment via hand, rough: hand wheel unit = 0,12 / 1 hand wheel revolution 29,5 mm

drive power: approx. 4,0 kW

weight: approx. 2.600 kg

standing area: W 2,20 x D 1,30 x H 1,40 m

color: blue / grey-white

features

- manual or automatic operation
 - upper table for cone grinding with fine adjustment and dial gauge
 - automatic adjustment works as punch grinding adjustment, without adjustment,
 - table-dependent adjustment: # right # left and right # left only
 - rapid traverse infinitely adjustable
 - creep traverse infinitely adjustable
 - ejecting infinitely adjustable, can be disabled
 - tailstock can be activated mechanically by hand lever or hydraulically via foot switch
 - hydr. table oscillation
 - 3 – B. – grinding padding Ø 200 mm, with inner and outer clamps (unused)
 - fixed prick punch MK3 + MK5
 - grinding stone puller, adjustable with diamond
 - second grinding wheel flange with unused grinding wheel 300 x 50 mm
 - wet-grinding equipment
 - machine light
 - operating manual
-
- If the year of construction is marked “*”, it is the information the prior owner relayed to us or our own estimation.



All prices will have an additional 19 % tax added (German “Mehrwertsteuer/Mwst.”) on your invoice. Buyers from foreign countries will pay the net price without an additional tax, if they provide us with their Ident.-Nr.

All prices are ex-works, without packaging or delivery. The machine will be loaded on a truck free of charge, provided you pick it up at our warehouse. Packaging is done only after the buyer has signed a sales contract. The buyer bears the cost of packaging and delivery.

Attention – Important!!!

If you want us to facilitate the shipping with an external contractor, this will be done on behalf of and paid for by the buyer. We are not responsible for transport or unloading damage. By buying from us, you automatically agree to these terms and conditions.

All information and technical data on this website is non-binding, errors excepted. All sales are subject to our Terms and Conditions.





ProHa-Maschinen
Owner: Wilfried Jürgens

Ident-Nr. DE 182722273
AG Essen HRA 7402

Office
Egge 3
45549 Sprockhövel

Warehouse
58285 Gevelsberg

Collection and delivery by
appointment only.

Phone 0 23 39 / 121212
Fax 0 23 39 / 121213

www.proha-maschinen.de
info@proha-maschinen.de